




## SPRINKLER HANGER / LOOP HANGER



### FEATURES AND BENEFITS.

<b>Description:-</b>	<ul style="list-style-type: none"> <li>* For use in fire fighting and sprinkler installations.</li> <li>* Easy to install and adjust, without tools.</li> <li>* High load capacity due to one piece design.</li> <li>* Knurled swivel nut to adjust vertical pipe alignment during and after installations.</li> </ul>
<b>Material:-</b>	Mild steel, other materials on request
<b>Special:-</b>	<ul style="list-style-type: none"> <li>* Electro galvanized as per ASTM B 633.</li> <li>* Galvanized as per ASTM A 123/ A 123M.</li> <li>* Designed to meet MSS Standard SP 58 type 10 and SP 69.</li> </ul>

Product Code	Nominal Pipe Size Inches.	Pipe OD (D) mm	Height (H) mm	Hanger Rod (G) inches	Max Load (N)	Box Quantity.		
VTEPSH027	¾"	DN20	26.7	61	3/8"	M10	3000	350
VTEPSH034	1"	DN25	33.4	70	3/8"	M10	3000	300
VTEPSH042	1¼"	DN32	42.1	78	3/8"	M10	3000	250
VTEPSH048	1½"	DN40	48.2	84	3/8"	M10	3000	200
VTEPSH060	2"	DN50	60.3	102	3/8"	M10	3000	150
VTEPSH073	1½"	DN65	73	118	3/8"	M10	4500	125
VTEPSH090	3"	DN80	88.9	144	3/8"	M10	4500	80
VTEPSH114	4"	DN100	114.3	176	3/8"	M10	5500	60
VTEPSH141	5"	DN125	141.3	220	1/2"	M12	6500	40
VTEPSH168	6"	DN150	168.3	262	1/2"	M12	7500	25
VTEPSH219	8"	DN200	219.1	305	1/2"	M12	9000	12
VTEPSH273	10"	DN250	273	320	1/2"	M12	9000	5

- NOTE:-**
1. CUSTOMIZED DIMENSIONS AVAILABLE ON REQUEST.
  2. a. EP - MICRONS : 8μ - 15μ  
b. HDG - MICRONS : 70μ - 95μ

